2700K LED MR8 Bi-Pin 2W 60 Degree

18156 (Black)

| Project Name: |
|---------------|
| Location: |
| Type: |
| Qty: |
| Comments: |
| |



Certifications/Qualifications

| 1.25" | |
|-------|-------|
| 1.00" | |
| 1.00" | |
| | 1.00" |

www.kichler.com/warrantu

Electrical

| Operating Voltage Range | 9-15VAC/VDC |
|-------------------------|-------------|
| Voltage | 12VAC/VDCV |

Photometrics

| Beam Angle Options | 60.00 |
|-------------------------------------|-------|
| Color Rendering Index | 80 |
| Delivered Efficacy (Lumens/Watt) | 75 |
| Delivered Lumens | 150 |
| Kelvin Temperature | 2700K |

Primary Lamping

| Expected Life Span | 30000 |
|--------------------|-------|
| Volt-Amperes (VA) | 3.30 |

Product/Ordering Information

| SKU | 18156.00 |
|--------|--------------|
| Finish | Black |
| UPC | 783927532686 |

Specifications

| Material | ALUMINUM |
|----------|----------|
| | |

Additional Finishes



Black

Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:

All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference

