## Starkk™ LED 42" Fan Polished Nickel™

330171PN (Polished Nickel)

Project Name	:
Location:	
Type:	
Qty:	
Comments:	



Airflow		
CFM (High)	3482	
CFM (Low)	1720	
RPM (High)	215	
RPM (Low)	115	

RPM (LOW)	115	
Certifications/Qua	alifications	
Location Rating	CSA UL Listed Dry	
Title 20 Compliant	Yes	

www.kichler.com/warranty

Base Backplate	6.25 DIA	
Downrod 1	1.00 OD X 4.50"	
Weight	26.40 LBS	
Width	42.00"	
Floorwinel		
Electrical		
Amps (High)	0.39	

Amps (High)	0.39
Amps (Low)	0.21
Motor Size	153MM X 12MM
Motor Type	AC

Mounting/Installation		
Minimum Distance from Fa Floor	an to 7 feet	
Interior/Exterior	Interior	
Low Ceiling Adaptable	No	
Mounting Woight	24 201 BC	

Photometrics		
Color Rendering Index	80	
Color Temperature Range	3000	
Delivered Efficacy (Lumens/Watt)	94	
Kelvin Temperature	3000K	

Primary Lamping		
Downward-facing Bulbs	X 17W	
Downlight Included	Yes	
Downlight Option	Integrated	
Watts (High)	47	

watts (riigiri)	47	
Watts (Low)	13	
Product/Order	ing Information	
SKU	330171PN	

Transitional

Style

UPC	783927471183
Specifications	
Blade Finish 1	SILVER
Blade Finish 2	WALNUT
Blade Material	WOOD
Blade Pitch	12
Blades Included	Yes
Blade Sweep	42
Diffuser Description	Etched Cased Opal
Material	STEEL
Max Stem Tilt	30 Degrees
Number of Blades	5

Blades R	eversible	Yes	
Additio	Additional Finishes		
	Brushed Nickel		
	Matte White		
	Natural Brass		
	Olde Bronze		
	Polished Nickel		

**Kichler** 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

